



4682HC

COL.AUD/VID UNIT FOR VIP SYST., IKALL SERIES.H264



Audio-video unit for VIP system including terminal block complete with front-adjustable mini lens colour camera, LED camera lighting. Complete with terminal block and digital audio management system with Echo-cancelling, watertight loudspeaker and electret microphone, loudspeaker volume adjustable from the front. For fitting in modules: part. 33410, 33411 and 33412. Dimensions: 102x55x38 mm.


4682HC
COL.AUD/VID UNIT FOR VIP SYST., IKALL SERIES.H264
MAIN FEATURES

Audio/video system:	Yes
Camera:	Colors
Video encoding:	H.264
Type of sensor:	1/3" CCD
Minimum illumination (lux):	0.23
Lens size (inch):	3.6
Camera orientation:	Yes
Power supply voltage:	÷ 33
Clamps:	TX- TX+RX- RX+V- V+RTE GND SE COM NC NO
Microphone:	Yes
Microphone volume control:	Yes
Loudspeaker:	Yes
Loudspeaker volume control:	Yes
Operating temperature (°F):	-13 ÷ 131

SOFTWARE/FIRMWARE SPECIFICATIONS

Video resolution HxV (inch):	500x582
------------------------------	---------

FUNCTIONS

Key button function:	Yes
----------------------	-----

HARDWARE SPECIFICATIONS

Visual signalling:	Yes
Acoustic signalling:	Yes
Speech synthesis:	Yes

GENERAL DATA

Product height (inch):	2.17
Product width (inch):	4.02
Product depth (inch):	1.5

COMPATIBILITY

Vip system:	Yes
-------------	-----

CONNECTIVITY

Ethernet ports:	1
-----------------	---



4682HC

COL.AUD/VID UNIT FOR VIP SYST., IKALL SERIES.H264

ELECTRICAL SPECIFICATIONS

Door release (dry contact bridge):	Yes
Door release (direct current output):	Yes