


Data sheet

Indoor light

L 16 LED Glass

EAN 4007841055899



Function description

Evolution of a classic. L 16 LED Glass sensor-switched indoor light without sensor, ideal for corridors, hallways, stairwells and bathrooms. Latest LED technology, 840 lm with a consumption of only 8,5 W. Selectable time and twilight threshold. Can also be interconnected with the RS 16 LED sensor version create lighting groups.

Technical specifications

Dimensions (Ø x H)	275 x 95 mm
Mains power supply	220 – 240 V , 50 / 60 Hz
Output	8,5 W
Luminous flux	840 lm
Colour temperature	3000 K
Colour variation LED	SDCM3
Colour Rendering Index CRI	90-100
With lamp	Yes, STEINEL LED system
Lamp	LED cannot be replaced
LED life expectancy (max. °C)	50000 h
Drop in luminous flux in accordance with LM80	L70B10
Base	without
LED cooling system	Passive Thermo Control
With motion detector	No
Electronic scalability	No
Mechanical scalability	No
Photo-cell controller	Yes
Basic light level function	No

Data sheet



Indoor light

L 16 LED Glass

EAN 4007841055899

Technical specifications

Impact resistance	IK00
IP rating	IP44
Protection class	II
Ambient temperature	-10 – 40 °C
Housing material	Plastic
Cover material	Glass opal
Manufacturer's Warranty	3 years
PU1, EAN	4007841055899

Data sheet



Indoor light

L 16 LED Glass

EAN 4007841055899

Mood image

