

03 Recessed Spots Adjustable>The Lock Ring Range

## 11103C/C



Recessed adjustable MR11 spot with GU4 lampholder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                      |                              |
|----------------------|------------------------------|
| Item Group           | 03 Recessed Spots Adjustable |
| Family               | The Lock Ring Range          |
| Order Code           | 11103C/C                     |
| Colour               | Chrome                       |
| Material             | Die Cast                     |
| Shape                | Circular                     |
| Height               | 26mm                         |
| Diameter             | 70mm                         |
| Cutout Hole Diameter | 63mm                         |
| Recessed Ceiling     | Yes                          |
| Depth Required       | 40mm                         |
| Indoor               | Yes                          |

Adjustable

1 Direction

## Electrical Characteristics

### Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

35W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU4

Number of Lamps

1

Cable Length

40cm

## Illumination Data

Illumination Diagram



## Packing Info

Pcs/Carton

100


Barcode

5291889017394

HS Code

9405409900

## Energy Label



Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

