

# PS48VDC.38A-EU

48 VOLTS D.C @ 380MA. PLUGS DIRECTLY INTO WALL OUTLETS. COMPATIBLE WITH VDA PLUGS USED IN EUROPE AND PART OF SOUTH AMERICA SA

## Overview

---

UTC Fire & Security's wide range of power supplies provide solutions for all the majority of various applications. Available in wall format with adaptors, UTC Fire & Security supplies can be used with all major power plugs. Solutions include both in wall and "power brick" configurations. Switching supplies include advanced technology and power savings, meeting Level IV (4) International Efficiency in compliance with California Energy Commission, Energy Star and the EU Code of Conduct for external power supplies. Supplies can be mixed and matched to a variety of UTC Fire & Security products to meet installation requirements.

Supplies are available in both +48 Volt DC, +12 Volt DC and +5 Volt DC models, meeting a wide range of price, installation and wall prongs for world-wide operations. With UTC Fire & Security power supplies, the power is in your hands.



## Details

---

- CE approved
- UL approved
- CSA approved
- Compact power supplies for standalone fiber links or Media Converters
- Low voltage outputs
- Models for Europe and UK region
- Available in Wall type



# PS48VDC.38A-EU

48 VOLTS D.C @ 380MA. PLUGS DIRECTLY INTO WALL OUTLETS. COMPATIBLE WITH VDA PLUGS USED IN EUROPE AND PART OF SOUTH AMERICA SA

## Technical Specifications

### Electrical

Mains input	90 to 264 VAC
-------------	---------------

### Output

Power output voltage	48 VDC
----------------------	--------

### Physical

Colour	White
Form factor	External adapter

### Standards & Regulation

Compliance	CE, REACH, RoHS 2, WEEE
------------	-------------------------

### Specifications

Input Voltage :	100 - 240V AC
Frequency Range :	47 - 63Hz
Output Voltage :	48V DC
Current :	380mA
Type :	In Wall
Dimensions (mm) :	88,5 x 72 x 32
Weight :	110gr

### For use with

MC100FX-TX-PoE
MSPoE

### Standards Conformance

EMC :	CISPR 22 Class B
EMC :	EN55022 Class B
EMC :	EN61204-3 Class B
EMC :	FCC parts 15 Class B
BSMI : EMS requirements :	EN55024
BSMI : EMS requirements :	IEC-61000-4-2
BSMI : EMS requirements :	IEC-61000-4-3
BSMI : EMS requirements :	IEC-61000-4-4
BSMI : EMS requirements :	IEC-61000-4-5
BSMI : EMS requirements :	IEC-61000-4-6
BSMI : EMS requirements :	IEC-61000-4-8
BSMI : EMS requirements :	IEC-61000-4-11
Safety Requirements :	IEC 60950
Safety Requirements :	UL 60950-1TUV
Safety Requirements :	Efficiency Level IV
Regulation Compliance :	FCC Part 15
Regulation Compliance :	CE
Safety :	cUL
Safety :	UL

